

Shen TM1e

EoS Submission Details

| | |
|---------------------|--|
| EoS name | Shen TM1e |
| category | hadronic |
| submitted by | Kohsuke Sumiyoshi |
| affiliation | National Institute of Technology, Numazu College, Shizuoka 410-8501, Japan |
| e-mail contact | kohsuke.sumiyoshi@mac.com |
| sheet creation date | February 3, 2020 |

Abstract

This table contains the EoS of H. Shen, F. Ji, J. Hu and K. Sumiyoshi [1,2] using a non-linear relativistic mean-field model with the TM1 parametrization [3,4] of the effective interaction. Compared with the original version [5,6], a density dependent symmetry energy has been introduced [4]. Non-uniform nuclear matter is calculated in the single-nucleus Thomas-Fermi approximation with parametrized density distributions in spherical Wigner-Seitz cells. Only neutrons, protons, α particles and a single heavy nucleus are considered. The present table was taken from the website <http://user.numazu-ct.ac.jp/~sumi/eos/> of K. Sumiyoshi. The contribution of electrons and photons has been added to the original table.

References to the original work

1. H. Shen, F. Ji, J. Hu, K. Sumiyoshi, submitted to *Astrophys. J.*, arXiv:2001.10143
2. K. Sumiyoshi, K. Nakazato, H. Suzuki, J. Hu, H. Shen, *Astrophys. J.* 887 (2019) 110
3. Y. Sugahara, H. Toki, *Nucl. Phys. A* 579 (1994) 557
4. S. S. Bao, J. N. Hu, Z. W. Zhang, and H. Shen, *Phys. Rev. C* 90 (2014) 045802
5. H. Shen, H. Toki, K. Oyamatsu, K. Sumiyoshi, *Prog. Theor. Phys.* 100 (1998) 1013
6. H. Shen, H. Toki, K. Oyamatsu, K. Sumiyoshi, *Nucl. Phys. A* 637 (1998) 435

Nuclear Matter Properties¹

| | Quantity | | Unit | |
|-----------|---|------------------|-------|--|
| n_S | saturation density in symmetric matter | fm^{-3} | 0.145 | |
| E_0 | binding energy per baryon at saturation | MeV | 16.3 | |
| K | incompressibility | MeV | 281 | |
| K' | skewness | MeV | -285 | |
| J | symmetry energy | MeV | 31.38 | |
| L | symmetry energy slope parameter | MeV | 40. | |
| K_{sym} | symmetry incompressibility | MeV | 3.57 | |

Neutron Star Properties¹

| | Quantity | | Unit | |
|-------------------|---|-------------------------|------|--|
| M_{max} | maximum mass | M_{sun} | 2.12 | |
| $M_{DU,e}$ | mass at DURca threshold (1/9) w/o μ^- | M_{sun} | 2.06 | |
| $R_{M_{max}}$ | radius at maximum NS mass | km | 11.8 | |
| $R_{1.4}$ | radius at 1.4 M_{sun} NS mass | km | 13.1 | |
| $\tilde{\Lambda}$ | tidal deformability GW170817 at $q = M_1/M_2 = 0.8$ | | 740 | |

¹0-values indicate, that the corresponding data is not provided.

eos.thermo

eos.thermo and the three grid defining files are CompOSE standard data files and by definition available. eos.thermo does not necessarily provide all possible data.

| | |
|-----------------------------|--------|
| table dimension | 3 |
| table type | 1 |
| total number of grid points | 650650 |

Range and density (#) of the grid parameters:

| Quantity | Unit | min | max | # |
|-------------------------|------------------|----------------|----------------|-----|
| T Temperature | MeV | 0.10000000E+00 | 0.39810720E+03 | 91 |
| n_b Baryon Nr Density | fm^{-3} | 0.75814210E-10 | 0.60221370E+01 | 110 |
| Y_q Charge Fraction | | 0.10000000E-01 | 0.65000000E+00 | 65 |

T, n_b , and Y_q are stored in eos.t, eos.nb, and eos.yq, respectively.

additional quantities in eos.thermo

none defined

Further Available Data Files

Files and quantities listed in the following are provided beyond CompOSE's core requirements as outlined in Sec.4.2. of the CompOSE manual.

eos.compo : available

| index | particle |
|-------|--------------------------|
| 10 | n |
| 11 | p |
| 4002 | $^{4}_{\alpha}\text{He}$ |
| | - end of table - |

Further particle sets are defined. One set of quadruples for an average heavy nucleus. See Table 7.2 of the CompOSE manual.

eos.micro : available

| index | quantity | particle |
|-------|---|----------|
| 10041 | Dirac effective mass divided by particle mass m_i^D/m_i | n |
| 11041 | Dirac effective mass divided by particle mass m_i^D/m_i | p |
| | - end of table - | |