# $\mathbf{DDH}\delta$

### **EoS Submission Details**

EoS nameDDHδcategoryhadronicsubmitted byMicaela OertelaffiliationLUTH,CNRS/Observatoire de Paris/Université Paris 7e-mail contactmicaela.oertel@obspm.frsheet creation dateNovember 13, 2014

### Abstract

This EoS is based on the RMF parameterisation DDH $\delta$  [1] for cold neutron star matter in  $\beta$ -equilibrium containing nucleons and electrons. For the crust, the EoS by Douchin and Haensel [2] has been added below a density of  $n_B = 2.5 \times 10^{-4} \text{fm}^{-3}$  and the inner crust has been computed following [3]. Proton fraction and compositional information is available for the core only.

### References to the original work

- 1. T. Gaitanos et al, Nucl. Phys. A732, 24 (2004).
- 2. F. Douchin, P. Haensel, Astronomy and Astrophysics 380, 151 (2001).
- F. Grill, H. Pais, C. Providência, I. Vidaña and S. S. Avancini, Phys. Rev. C 90, 045803 (2014).

# Nuclear Matter Properties<sup>1</sup>

|           | Quantity                                | Unit               |       |
|-----------|---|--------------------|-------|
| $n_S$     | saturation density in symmetric matter  | $\mathrm{fm}^{-3}$ | 0.153 |
| $E_0$     | binding energy per baryon at saturation | $\mathrm{MeV}$     | 16.3  |
| K         | incompressibility                       | $\mathrm{MeV}$     | 240   |
| K'        | skewness                                | $\mathrm{MeV}$     | 0.0   |
| J         | symmetry energy                         | $\mathrm{MeV}$     | 25.1  |
| L         | symmetry energy slope parameter         | $\mathrm{MeV}$     | 44    |
| $K_{sym}$ | symmetry incompressibility              | $\mathrm{MeV}$     | 0.0   |

# Neutron Star Properties<sup>1</sup>

|               | Quantity                                  | Unit               |       |
|---------------|---|--------------------|-------|
| $M_{max}$     | maximum mass                              | $M_{\mathrm{sun}}$ | 2.16  |
| $M_{DU,e}$    | mass at DUrca threshold (1/9) w/o $\mu^-$ | $M_{\mathrm{sun}}$ | 2.05  |
| $R_{M_{max}}$ | radius at maximum NS mass                 | $\mathrm{km}$      | 11.19 |
| $R_{1.4}$     | radius at $1.4 M_{sun} NS mass$           | $\mathrm{km}$      | 12.58 |

<sup>&</sup>lt;sup>1</sup>0-values indicate, that the corresponding data is not provided.

#### eos.thermo

eos.thermo and the three grid defining files are CompOSE standard data files and by definition available. eos.thermo does <u>not</u> necessarily provide all possible data.

table dimension1table type1total number of grid points426

Range and density (#) of the grid parameters:

|                | Quantity          | Unit            | $\min$         | max             | #   |  |
|----------------|-------------------|-----------------|----------------|-----------------|-----|--|
| Т              | Temperature       | MeV             | 0.0            | 0.0             | 1   |  |
| $n_b$          | Baryon Nr Density | ${\rm fm}^{-3}$ | 7.92405959E-15 | 1.0000000E + 00 | 426 |  |
| $\mathbf{Y}_q$ | Charge Fraction   |                 | 2.29096E-02    | 0.14030E + 00   | 1   |  |

T,  $n_b$ , and  $Y_q$  are stored in eos.t, eos.nb, and eos.yq, respectively.

### **Further Available Data Files**

Files and quantities listed in the following are provided beyond CompOSE's core requirements as outlined in Sec.4.2. of the CompOSE manual.

eos.compo: available

| index | particle       |
|-------|----------------|
| 10    | n              |
| 11    | р              |
| 0     | e <sup>-</sup> |
| 100   | $\Lambda$      |
| 110   | $\Sigma^{-}$   |
| 111   | $\Sigma^0$     |
| 112   | $\Sigma^+$     |
| 120   | $\Xi^{-}$      |
| 121   | $\Xi^0$        |
|       | - end of table |

further particle sets are not defined. eos.micro : not available

## **Description of Phases**

The transitions in the crust and from the core to the crust are treated by simple matching of the different EoS at a given density.