# PK1

### **EoS Submission Details**

EoS name PK1
category Hadronic
submitted by Cheng-Jun Xia
affiliation Yangzhou University
e-mail contact cjxia@yzu.edu.cn
sheet creation date September 12, 2022

### **Abstract**

This table corresponds to the unified EoS of neutron star  $(npe\mu)$  matter at zero temperature and  $\beta$ -equilibrium [1], which is obtained in the framework of Thomas-Fermi approximation and assuming geometrical symmetries for the Wigner-Seitz cells [2]. The covariant density functional PK1 is adopted [3].

# References to the original work

- 1. C.-J. Xia, T. Maruyama, A. Li, B. Y. Sun, W.-H. Long, and Y.-X. Zhang, Commun. Theor. Phys. 74, 095303 (2022).
- 2. C.-J. Xia, B. Y. Sun, T. Maruyama, W.-H. Long, and A. Li, Phys. Rev. C 105, 045803 (2022).
- 3. W.-H. Long, J. Meng, N. V. Giai, and S.-G. Zhou, Phys. Rev. C 69, 034319 (2004).

# Nuclear Matter Properties<sup>1</sup>

	Quantity	Unit	
$\overline{n_S}$	saturation density in symmetric matter	$\mathrm{fm}^{-3}$	0.148
$E_0$	binding energy per baryon at saturation	MeV	16.27
K	incompressibility	MeV	282.7
K'	skewness	MeV	-27.8
J	symmetry energy	MeV	37.6
L	symmetry energy slope parameter	MeV	115.9
$K_{sym}$	symmetry incompressibility	MeV	55

# Neutron Star Properties<sup>1</sup>

	Quantity	$\operatorname{Unit}$	
$\overline{M_{max}}$	maximum mass	$M_{sun}$	2.31
$M_{DU,\mu}$	mass at DUrca threshold with $\mu^-$	$M_{sun}$	0.939
$R_{M_{max}}$	radius at maximum NS mass	$\mathrm{km}$	12.66
$R_{1.4}$	radius at 1.4 $M_{sun}$ NS mass	$\mathrm{km}$	14.37
$ ilde{\Lambda}$	tidal deformability for GW170817 at a mass ratio of $q = 0.8$		1283

## eos.thermo

eos.thermo and the three grid defining files are CompOSE standard data files and by definition available. In eos.thermo, five extra quantities are added, i.e., d, Z, A,  $R_d$ , and  $R_{\rm W}$ . The quantity d refers to the geometry of the correspondent pasta phase, represented by an integer, with 0 for the uniform phase, 1-slabs, 2-rods, 3-droplets, -2-tubs, and -3-bubbles. The quantities Z and A represent the total proton and nucleon number enclosed within the Wigner-Seitz (WS) cell (for d=1, 2, and -2 a finite cell size a=30 fm is adopted), while  $R_{\rm d}$  represents the droplet size and  $R_{\rm W}$  the WS cell size.

table dimension 1
table type 1
total number of grid points 1078

<sup>&</sup>lt;sup>1</sup>0-values indicate, that the corresponding data is not provided.

Range and density (#) of the grid parameters:

	Quantity	$\operatorname{Unit}$	min	max	#	
Т	Temperature	MeV	0	0	1	
$n_b$	Baryon Nr Density	${\rm fm}^{-3}$	$7.58143 \times 10^{-11}$	2	1078	
$Y_q$	Charge Fraction		0	0	1	

T,  $\mathbf{n}_b,$  and  $\mathbf{Y}_q$  are stored in eos.t, eos.nb, and eos.yq, respectively.

# **Further Available Data Files**

Files and quantities listed in the following are provided beyond CompOSE's core requirements as outlined in Sec.4.2. of the CompOSE manual.

eos.compo: available

$$\begin{array}{c|c} \operatorname{index} & \operatorname{particle} \\ 10 & n \\ 11 & p \\ 0 & e \\ 1 & \mu \\ - \operatorname{end} \operatorname{of table} - \end{array}$$

 $\mathbf{eos.mr}$ : This file provides the gravitational mass (in solar masses), the radius (in km), and the tidal deformability of a family of stars computed for this unified RMF EoS model.