

STOS-TM1-v2-global-e

EoS Submission Details

EoS name	STOS-TM1-v2-global-e
category	hadronic
submitted by	Stefan Typel
affiliation	GSI, Darmstadt, Germany
e-mail contact	s.typel@gsi.de
sheet creation date	April 23, 2015

Abstract

This table contains the EoS of H. Shen, F. Yang, H. Toki, K. Oyamatsu, and K. Sumiyoshi [1,2] using a non-linear relativistic mean-field model with the TM1 parametrization [3] of the effective interaction. Non-uniform nuclear matter is calculated in the single-nucleus Thomas-Fermi approximation with parametrized density distributions in spherical Wigner-Seitz cells. Only neutrons, protons, α particles and a single heavy nucleus are considered. The present table was taken from the website <http://user.numazu-ct.ac.jp/~sumi/eos/> of K. Sumiyoshi. The contribution of electrons/positrons and photons has been added to the original table.

References to the original work

1. H. Shen, H. Toki, K. Oyamatsu, K. Sumiyoshi, Prog. Theor. Phys. 100 (1998) 1013
2. H. Shen, H. Toki, K. Oyamatsu, K. Sumiyoshi, Nucl. Phys. A 637 (1998) 435

Further References

3. Y. Sugahara, H. Toki, Nucl. Phys. A 579 (1994) 557

Nuclear Matter Properties¹

	Quantity		Unit	
n_S	saturation density in symmetric matter	fm^{-3}	0.145	
E_0	binding energy per baryon at saturation	MeV	16.3	
K	incompressibility	MeV	281	
K'	skewness	MeV	-285	
J	symmetry energy	MeV	36.9	
L	symmetry energy slope parameter	MeV	110.8	
K_{sym}	symmetry incompressibility	MeV	33.6	

Neutron Star Properties¹

	Quantity		Unit	
M_{max}	maximum mass	M_{sun}	2.23	
$M_{DU,e}$	mass at DURca threshold (1/9) w/o μ^-	M_{sun}	0	
$R_{M_{max}}$	radius at maximum NS mass	km	12.6	
$R_{1.4}$	radius at 1.4 M_{sun} NS mass	km	14.5	

eos.thermo

eos.thermo and the three grid defining files are CompOSE standard data files and by definition available. eos.thermo does not necessarily provide all possible data.

table dimension	3
table type	1
total number of grid points	650650

Range and density (#) of the grid parameters:

Quantity	Unit	min	max	#
T	Temperature	MeV	0.10000000E+00	0.39810720E+03
n_b	Baryon Nr Density	fm^{-3}	0.75814210E-10	0.60221370E+01
Y_q	Charge Fraction		0.10000000E-01	0.65000000E+00

T, n_b , and Y_q are stored in eos.t, eos.nb, and eos.yq, respectively.

additional quantities in eos.thermo

none defined

¹0-values indicate, that the corresponding data is not provided.

Further Available Data Files

Files and quantities listed in the following are provided beyond CompOSE's core requirements as outlined in Sec.4.2. of the CompOSE manual.

eos.compo : available

index	particle
10	n
11	p
4002	$^{4}_{2}\text{He}$
- end of table -	

Further particle sets are defined. One set of quadruples for an average heavy nucleus. See Table 7.2 of the CompOSE manual.

eos.micro : available

index	quantity	particle
10041	Dirac effective mass divided by particle mass m_i^D/m_i	n
11041	Dirac effective mass divided by particle mass m_i^D/m_i	p
- end of table -		

Description of Phases

There is no distinction between different phases in the EoS.