

# QHC21T $B_T$

## EoS Submission Details

EoS name	QHC21T $B_T$
category	hybrid
submitted by	Toru Kojo
affiliation	Central China Normal University
e-mail contact	kojo.toru@gmail.com
sheet creation date	December 18, 2021

## Abstract

This table corresponds to the zero temperature and  $\beta$ -equilibrium unified EoS by Kojo et al. [1]. The EoS are divided into four distinct domains: the crust, nuclear liquid, hadron-quark crossover, and quark matter domains. For each domain we assign an equation of state as

Crust to nuclear liquid	Togashi [2]	$[10^{-9}n_0 \leq n_B \leq 1.5n_0]$
Crossover	QHC21T $B_T$ [1]	$[1.5n_0 \leq n_B \leq 3.5n_0]$
Quark matter	QHC21T $B_T$ [1]	$[3.5n_0 \leq n_B \leq 10n_0]$

The quark matter EoS (including up-, down-, and strange-quarks) in the QHC21T was calculated using the NJL model within the mean field approximation. As variable parameters, we choose  $g_V$  and  $H$  which quantify the strength of the repulsive density-density interaction and the attractive pairing-interaction between quarks, respectively. For QHC21T  $B_T$ , we consider  $(g_V, H)/G = (1.00, 1.52)$  [ $B_T$ ] which are compatible with the hadron physics. The QHC21T satisfies the empirical constraints from neutron stars as well as the causality and thermodynamic consistency.

## References to the original work

1. T. Kojo, G. Baym, and T. Hatsuda,  
“QHC21 equation of state of neutron star matter – in light of 2021 NICER data,”  
arXiv: 2111.11919, <https://arxiv.org/pdf/2111.11919.pdf>
2. H. Togashi, K. Nakazato, Y. Takehara, S. Yamamuro, H. Suzuki, and M. Takano,  
“Nuclear equation of state for core-collapse supernova simulations with realistic nuclear forces,” Nucl. Phys. A 961, 78 (2017),  
<https://doi.org/10.1016/j.nuclphysa.2017.02.010>

## Nuclear Matter Properties<sup>1</sup>

	Quantity	Unit	
$n_S$	saturation density in symmetric matter	$\text{fm}^{-3}$	0.16
$E_0$	binding energy per baryon at saturation	MeV	16.1
$K$	incompressibility	MeV	245.0
$K'$	skewness	MeV	0
$J$	symmetry energy	MeV	29.1
$L$	symmetry energy slope parameter	MeV	38.7
$K_{sym}$	symmetry incompressibility	MeV	0
$U_\Lambda$	$\Lambda$ -potential at saturation	MeV	0
$U_\Sigma$	$\Sigma$ -potential at saturation	MeV	0
$U_\Xi$	$\Xi$ -potential at saturation	MeV	0

## Neutron Star Properties<sup>1</sup>

	Quantity	Unit	
$M_{max}$	maximum mass	$M_{sun}$	2.20
$M_{DU,e}$	mass at DUrca threshold (1/9) w/o $\mu^-$	$M_{sun}$	0
$R_{Mmax}$	radius at maximum NS mass	km	11.1
$R_{1.4}$	radius at 1.4 $M_{sun}$ NS mass	km	11.9
$\tilde{\Lambda}$	tidal deformability for GW170817 at a mass ratio of $q = 0.8$		0

## eos.thermo

eos.thermo and the three grid defining files are ComPOSE standard data files and by definition available.

```

table dimension      1
table type           1
total number of grid points  512

```

<sup>1</sup>0-values indicate, that the corresponding data is not provided.

Range and density (#) of the grid parameters:

	Quantity	Unit	min	max	#
T	Temperature	MeV	0	0	1
$n_b$	Baryon Nr Density	$\text{fm}^{-3}$	7.59E-011	1.50	512
$Y_q$	Charge Fraction		0	0	1

T,  $n_b$ , and  $Y_q$  are stored in eos.t, eos.nb, and eos.yq, respectively.

### Further Available Data Files

Files and quantities listed in the following are provided beyond CompOSE's core requirements as outlined in Sec.4.2. of the CompOSE manual.

eos.compo : not available

index	particle
0	e
	- end of table -